

000003005460

Version 2.1

SECTION 1. IDENTIFICATION

Product name :	DURON TM/MC UHP 5W-40		
Product code :	DUHP54B6U, DUHP54P5R, DUHP54ICT, DUHP54DRR, DUHP54BLK, DUHP54C12, DUHP54C16, DUHP54P20, DUHP54DRM, DUHP54IBC, DUHP54DCT, DUHP54		
Manufacturer or supplier's deta			
	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West		
	Mississauga ON L5J 1K2		
	Canada		
Emergency telephone number			
Emergency telephone number :	Petro-Canada Lubricants Inc.: +1 905-403-5770; CHEMTREC Transport Emergency: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).		
Recommended use of the chemical and restrictions on use			
Recommended use :	A high quality engine oil specifically designed for low temperature operation and 2015 (and beyond) EPA engine requirements, along with improved performance benefits in legacy engines. Application includes modern low emission diesel engines with cooled exhaust gas recirculation and exhaust after treatment technology. It is also suitable for some passenger car and light truck diesel engines, and spark ignition engines.		
Prepared by :	Product Safety: +1 905-491-0565		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	amber
Odour	Mild petroleum oil like.

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Potential Health Effects

Primary Routes of Entry	: Skin contact Eye contact Inhalation Ingestion

000003005460



000003005460		
Version 2.1	Revision Date 2019/02/01	Print Date 2019/02/01
tion		
Other hazards		
None known.		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	No component of this product preser equal to 0.1% is identified as a carcir gen by ACGIH.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
distillates (petroleum), hydrotreated	64742-54-7	50 - 70
heavy paraffinic		
1-Decene, homopolymer, hydrogen-	68037-01-4	5 - 10
ated		
lubricating oils (petroleum), C15-30,	72623-86-0	5 - 10
hydrotreated neutral oil-based		
distillates (petroleum), solvent-	64742-65-0	5 - 10
dewaxed heavy paraffinic		
bis(nonylphenyl)amine	36878-20-3	1 - 2.5
A mixture of isomers of: C7-9-alkyl 3-	125643-61-0	1 - 2.5
(3,5-di-trans-butyl-4-		
hydroxyphenyl)propionate		
Zinc alkyldithiophosphate	113706-15-3	1 - 2.5

SECTION 4. FIRST AID MEASURES

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

DURON ^{™/MC} UHP 5W-40

000003005460



Version 2.1		Revision Date 2019/02/01	Print Date 2019/02/01
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless direct cian or poison control center. Never give anything by mouth to an ur Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), zinc oxides (ZnOx), metal oxides, hydrocarbons, smoke and irritating vapours as products of incomplete com- bustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : None known. fire and explosion Internet: lubricants.petro-canada.com/sds ™ Owned or used under license.

DURON ^{™/MC} UHP 5W-40



000003005460

Version 2.1	Revision Date 2019/02/01	Print Date 2019/02/01
Advice on safe handling :	For personal protection see section 8 Smoking, eating and drinking should plication area. In case of insufficient ventilation, wea equipment.	be prohibited in the ap- r suitable respiratory
	Avoid contact with skin, eyes and clo Do not ingest. Keep away from heat and sources of Keep container closed when not in us	ignition.
Conditions for safe storage :	Store in original container. Containers which are opened must b kept upright to prevent leakage. Keep in a dry, cool and well-ventilate Keep in properly labelled containers. To maintain product quality, do not st light.	d place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
Engineering measures		ficient to control	nents. Good general worker exposure to a	
Personal protective equipmer	nt			
Respiratory protection	ventilation is p that exposure Respirator se exposure leve	provided or expo s are within reco lection must be b	ess adequate local ex sure assessment der ommended exposure based on known or a of the product and the respirator.	monstrates guidelines. nticipated

Components with workplace control parameters

		working limits of the selected respirator.
Filter type	:	organic vapour filter
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

DURON TM/MC UHP 5W-40



000003005460

Version 2.1		Revision Date 2019/02/01	Print Date 2019/02/01
		approved standard should be worn at chemical products if a risk assessmen essary.	5
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing
Skin and body protection	:	Choose body protection in relation to i tration and amount of dangerous subs cific work-place.	
Protective measures	:	Wash contaminated clothing before re	-use.
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed sl handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Colour	:	amber
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-45 °C (-49 °F)
Boiling point/boiling range	:	No data available
Flash point	:	235 °C (455 °F) Method: Cleveland open cup
Fire Point	:	257 °C (495 °F)
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density Internet: lubricants.petro-canada.com/s	: ds	0.8545 kg/l (15 °C / 59 °F)

™ Owned or used under license.

DURON ^{™/MC} UHP 5W-40

000003005460

Version 2.1



Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity Viscosity, kinematic	:	95.1 cSt (40 °C / 104 °F) 14.3 cSt (100 °C / 212 °F)
Explosive properties	:	Do not pressurise, cut, weld, braze, solder, drill, grind or ex-
		pose containers to heat or sources of ignition.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidizing agents and water.
Hazardous decomposition products	:	May release COx, H2S, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Inhalation Ingestion	
Acute toxicity	
Product:	
Acute oral toxicity : Remarks: No data available	
Acute inhalation toxicity : Remarks: No data available	
Acute dermal toxicity : Remarks: No data available	
Components:	
Iubricating oils (petroleum), C15-30, hydrotreated neutral oil-baseAcute oral toxicity:LD50 (Rat): > 5,000 mg/kg,	d:
Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg,	

DURON ^{™/MC} UHP 5W-40

000003005460

Version 2.1



Print Date 2019/02/01

distillates (petroleum), solv Acute oral toxicity	vent-	
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg,
Skin corrosion/irritation		
Product:		
Remarks	:	No data available
Serious eye damage/eye ir	ritati	on
Product:		
Remarks	:	No data available
Respiratory or skin sensiti	satic	on
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
ECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity		

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Persistence and degradability

Product:

DURON ^{™/MC} UHP 5W-40

000003005460

Version 2.1



Print Date 2019/02/01

	Bioaccumulative potential
	Mobility in soil
	No data available
	Other adverse effects
	No data available
ſ	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions
	Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
ELINCS	:	On the inventory, or in compliance with the inventory		

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

DURON ^{™/MC} UHP 5W-40

000003005460



Version 2.1	Revision Date 2019/02/01	Print Date 2019/02/01	
ACGIH		USA. ACGIH Threshold Limit Values (TLV)	
CA AB OEL	2: OEL)	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
CA QC OEL		Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants	
ACGIH / TWA	: 8-hour, time-weighted average		
CA AB OEL / TWA	: 8-hour Occupational exposure lir	nit	
CA AB OEL / STEL	: 15-minute occupational exposure	e limit	
CA QC OEL / TWAEV	: Time-weighted average exposure	e value	
CA QC OEL / STEV	: Short-term exposure value		

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565

2019/02/01

DURON ^{™/MC} UHP 5W-40



000003005460

Version 2.1

Revision Date 2019/02/01

Print Date 2019/02/01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN